WO2004113285

Publication Title:

PROCESS FOR THE PREPARATION OF RACEMIC

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 29 December 2004 (29.12.2004)

PCT

(10) International Publication Number WO 2004/113285 A1

(51) International Patent Classification7: A61K 31/192

C07C 323/56,

[SE/SE]; AstraZeneca R & D Molndal, S-SE-431 83 Molndal (SE).

(21) International Application Number:

PCT/GB2004/002599

(74) Agent: ASTRAZENECA; Global Intellectual Property, S-SE-151 85 Sodertalje (SE).

(22) International Filing Date:

16 June 2004 (16.06.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 0314260.1

19 June 2003 (19.06.2003)

- (71) Applicant (for AE, AG, AL, AM, AT, AU, AZ, BA, BB, BE, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CY, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, IIR, IIU. ID, IL, IN. IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS. LT, LU, LV, MA, MD, MK, MN, MW, MX, MZ. NA. NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, SZ, TJ, TM, TN, TR, TT, TZ, UA, UG,
- (71) Applicant (for MG only): ASTRAZENECA UK LIM-ITED [GB/GB]; 15 Stanhope Gate, London, Greater London W1K 1LN (GB).

AB [SE/SE]; Sodertalje, S-SE-151 85 (SE).

UZ, VC, VN, YU, ZA, ZM, ZW only): ASTRAZENECA

- (72) Inventors; and
- (75) Inventors/Applicants (for US only): ANDERSSON, Kjell [SE/SE]; AstraZeneca R & D Molndal, S-SE-431 83 Molndal (SE). LINDSTEDT-ALSTERMARK, Eva-Lotte [SE/SE]; AstraZeneca R & D Molndal, S-SE-431 83 Molndal (SE). SORENSEN, Henrik

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for umending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PROCESS FOR THE PREPARATION OF RACEMIC 2-{[2-(4-HYDROXYPHENYL)ETHYL]THIO}-3-[4-(2-{4-[(METHYLSULFONYL)OXY]PHENOXY]ETHYL)PHENYL]-PROPANOIC ACID

(57) Abstract: The present invention provides a process for the preparation of substantially racemic 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]-propanoic acid which comprises reacting 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoic acid enriched in one enantiomer with a base in an inert solvent.

WO 2004/113285 PCT/GB2004/002599

PROCESS FOR THE PREPARATION OF RACEMIC 2-{'2-(4-HYDROXYPHENYL) ETHYL!-THIO)-3-'4-(2-{4-'/METHYLSULFONYL)OXY! PHENOXY}ETHYL)PHENYL! PROPANOIC ACID

Field of the invention

The present invention relates to a process for the preparation of certain of 3-phenyl-2arylalkylthiopropionic acid derivatives which have utility in treating clinical conditions including lipid disorders (dyslipidemias) whether or not associated with insulin resistance and other manifestations of the metabolic syndrome.

Background of the invention

Co-pending PCT application No. PCT/GB02/05743 discloses compounds of formula

10 A

wherein R¹ represents chloro, fluoro or hydroxy as well as optical isomers and racemates thereof as well as pharmaceutically acceptable salts, prodrugs, solvates and crystalline forms thereof which are selective PPARα modulators. These compounds are useful in treating clinical conditions including lipid disorders (dyslipidemias) whether or not associated with insulin resistance and other manifestations of the metabolic syndrome. The above compounds contain a chiral centre. Often one enantiomer is much more active than the other and the preferred enantiomer is obtained by a resolution process or by chiral chromatography. By its nature a resolution process of a racemic mixture leads to 50% of the undesired material being discarded. The situation can be improved if the undesired enantiomer can be converted back into a racemic mixture by a racemisation process. Therefore there is a need for an efficient and cost effective process for racemising the undesired isomer so that the resolution step can be repeated and reduce the material wastage in the process.

Description of the invention

25

The present invention provides a process for the preparation of substantially racemic 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}-ethyl)phenyl]-propanoic acid which comprises reacting 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoic acid enriched in one

enantiomer with a base in an inert solvent. Optionally the acid may be converted into an ester prior to racemisation or may converted into an ester during the racemisation. Suitable esters include C₁₋₆ alkyl esters for example the methyl and ethyl ester. Suitable bases include potassium hydroxide or sodium hydroxide. Suitably the racemised ester is then hydrolysed to give the racemic acid for example by base hydrolysis or by acid hydrolysis.

In one aspect the process comprises reacting 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoic acid enriched in one enantiomer with a halosilane in the presence of a nitrogenous base in the presence of an inert solvent at a temperature in the range of 0 to 150°C.

The term enriched means that one enantiomer comprises >50 %, preferably between 60 and 80% and most preferably between 80 and 100% of the 2-{[2-(4-hydroxyphenyl)-ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoic acid in a mixture of the enantiomers of this acid.

In another aspect the present invention comprises reacting a compound of formula I

15

enriched in one enantiomer with a chlorosilane of formula ClSiR¹R²R³ in which R¹, R², and R³ independently represent a C₁₋₆ alkyl group or aryl in the presence of a nitrogenous base in the presence of an inert solvent at a temperature in the range of 0 to 150°C to give a compound of formula II

$$O-SiR^1R^2R^3$$

$$SO_2CH_3$$

$$U$$

20

in which R¹, R², and R³ are previously defined which is hydrolysed to give a racemic compound of formula III

10 I

15

Suitable nitrogenous bases include 1,8 diazabicyclo[5.4.0] undec-7-ene, trialkylamines for example triethylamine, optionally substituted pyridines and optionally substituted imidazoles. Particularly the base is 1,8 diazabicyclo[5.4.0] undec-7-ene.

Suitable halosilanes include chlorotrialkyl silanes, for example chlorotriethylsilane and chlorodimethyl*tert*butylsilane and chlorotriarylsilanes for example chlorotriphenylsilane and mixed chloroarylalkyl silanes for example chlorodimethylphenyl silane. Particularly the chlorosilane is chlorotrimethylsilane.

In yet another aspect the present invention comprises reacting a compound of formula

SO₂CH₃

enriched in one enantiomer with chlorotrimethylsilane in the presence of 1,8 diazabicyclo[5.4.0] undec-7-ene in the presence of an inert solvent at a temperature in the range of 0 to 150°C to give a compound of formula IV

$$\begin{array}{c} O - Si(CH_3)_3 \\ O - Si(CH_3)_3 \\ SO_2CH_3 \\ IV \end{array}$$

which is hydrolysed to give a racemic compound of formula III

The compounds of the invention may be isolated from their reaction mixtures using conventional techniques. Hydrolysis is preferably carried out in the presence of an acid for example hydrochloric acid but basic hydrolysis may also be used.

The expression "inert solvent" refers to a solvent that does not react with the starting materials, reagents, intermediates or products in a manner that adversely affects the yield of the desired product. Suitable solvents include ethers, for example dialkyl ethers, especially diC₁₋₆ alkyl ethers, or cyclic ethers for example tetrahydrofuran or hydrocarbons for example toluene.

Aryl means phenyl or naphthyl, preferably phenyl, each of which is optionally substituted by one or more C_{1-6} alkyl, C_{1-6} alkoxy or halo.

Preferably the enriched acid contains more of the (+)enantiomer (as measured in the conditions described below).

Examples

10

15

¹H NMR and ¹³C NMR measurements were performed on a Varian Mercury 300 or Varian UNITY plus 400, 500 or 600 spectrometers, operating at ¹H frequencies of 300, 400, 500 and 600 MHz, respectively, and at ¹³C frequencies of 75, 100, 125 and 150 MHz, respectively. Measurements were made on the delta scale (δ).

Unless otherwise stated, chemical shifts are given in ppm with the solvent as internal standard.

<u>Abbreviations</u>

DMSO dimethyl sulfoxide

EtOAc ethyl acetate

DMF N,N-dimethylformamide

25 THF tetrahydrofuran

MeCN acetonitrile

MeOH methanol

TFA trifluoroacetic acid

WO 2004/113285 PCT/GB2004/002599

- 5 -

NH₄OAc ammonium acetate triplet S singlet đ doublet quartet 5 q m multiplet bs broad singlet

Preparation of Staring Material

2-{[2-(4-Hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxylphenoxy}-

10 ethyl)phenyl]propanoic acid

- (i) Methyl 2-chloro-3-[4-(2-hydroxyethyl)phenyl]propanoate
- 2-(4-Aminophenyl)ethanol (11g, 81mmol) and 32ml conc HCl was dissolved in acetone and cooled to 0°C. Sodium nitrite (5.6g, 81mmol) in 20ml water was added dropwise. The temperature was kept under 0°C. After one hour, methyl acrylate (70g, 808mmol) and CuI
- 15 (1.6g, 8mmol) were added (<0°C). The reaction mixture was stirred at room temperature overnight. The solvent was evaporated and water was added. The water phase was extracted three times with EtOAc, the organic phases were pooled and washed with water, dried (MgSO₄) and evaporated under reduced pressure. The crude product was purified by flash chromatography using a 65:35 mixture of EtOAc and heptane as eluent. Further purification
- 20 by preparative HPLC (using a gradient of CH₃CN/5%CH₃CN-waterphase containing 0.1M NH₄OAc as eluent) gave 9.7g product (yield 49%) as an oil.
 - ¹HNMR (400MHz, CDCl₃): 2.84 (t, 3H), 3.15 (dd, 1H), 3.35 (dd, 1H), 3.75 (s, 3H), 3.84 (t, 3H), 4.43 (t, 1H), 7.17 (d, 4H)
 - (ii) Methyl 3-(4-{2-[4-(benzyloxy)phenoxy]ethyl}phenyl)-2-chloropropanoate
- 25 Triphenylphosphine (2.4g, 9mmol) was added to a solution of methyl 2-chloro-3-[4-(2hydroxyethyl)phenyl]propanoate (2.1g, 8.5mmol) and 4-(benzyloxy)phenol (1.7g, 8mmol) in 20ml toluene under nitrogen atmosphere. The solution was warmed to 55°C and diisopropyl azodicarboxylate (1.8g, 9mmol) was added. The reaction mixture was stirred at 55°C overnight. The mixture was allowed to cool and the solvent was evaporated under reduced
- 30 pressure. The crude product was purified by flash chromatography using a 80:20 mixture of heptane and BtOAc as eluent to yield 2.28g of the desired product (yield 61%) as colourless crystals.

- ¹HNMR (400MHz, CDCl₃): 3.05 (t, 2H), 3.16 (dd, 1H), 3.36 (dd, 1H), 3.75 (s, 3H), 4.12 (t, 2H), 4.45 (t, 1H), 5.01 (s, 2H), 6.82 (m, 2H), 6.90 (m, 2H), 7.13-7.27 (m, 4H), 7.29-7.47 (m, 5H).
- (iii) Methyl 2-chloro-3-{4-[2-(4-hydroxyphenoxy)ethyl]phenyl}propanoate
- Methyl 3-(4-{2-[4-(benzyloxy)phenoxy]ethyl}phenyl)-2-chloropropanoate (1.0g, 2.4mmol) and dimethyl sulfide (0.9g, 14mmol) was dissolved in 60ml CH₂Cl₂. Boron trifluoride etherate (2.0g, 14mmol) was added dropwise to the stirred solution. The reaction mixture was stirred for two days at room temperature. Another equivalent (0.4g, 2.87mmol) boron trifluoride etherate was added and the stirring was continued overnight.
- Water was added. The phases were separated and the aqueous phase was extracted twice with CH₂Cl₂. The organic phases were pooled, washed (water, brine), dried (Na₂SO₄) and evaporated under reduced pressure. Futher purification by preparative HPLC using a gradient of CH₃CN/5% CH₃CN-waterphase containing 0.1M NH₄OAc gave 0.55g of the desired product (yield 52%) as an oil.
- ¹⁵ HNMR (400MHz, CDCl₃): 3.04 (t, 2H), 3.16 (dd, 1H), 3.35 (dd, 1H), 3.75 (s, 3H), 4.10 (t, 2H), 4.40 (t, 1H), 6.75 (m, 4H), 7.12-7.29 (m, 4H).
 - (iv) Methyl 2-chloro-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoate Methyl 2-chloro-3-{4-[2-(4-hydroxyphenoxy)ethyl]phenyl}propanoate (334mg, 1.0mmol) and triethylamine (303mg, 3.0mmol) was dissolved in 20ml dichlormethane and cooled to
- -20°C under nitrogen atmosphere. Methanesulfonyl chloride (114mg, 1.0mmol) was added dropwise. The mixture was allowed to reach room temperature. After 2 hours dichlormethane was added, the mixture was washed (water, brine), dried (Na₂SO₄) and evaporated under reduced pressure to yield 394mg pure product (yield 96%).
- ¹HNMR (400MHz, CDCl₃): 3.02-3.11 (m,5H), 3.15 (dd, 1H), 3.35 (dd,1H), 3.74 (s, 3H), 4.14 (t, 2H), 4.44 (t, 1H), 5.29 (s, 2H), 6.88 (d, 2H), 7.14-7.25 (m, 6H).
 - (v) Methyl 2-({2-[4-(benzyloxy)phenyl]ethyl}thio)-3-[4-(2-{4-[(methylsulfony])oxy]-phenoxy}ethyl)phenyl]propanoate
 - 2-[4-(Benzyloxy)phenyl]ethanethiol (334mg, 1.4mmol), methyl 2-chloro-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoate (394mg, 0.95mmol) and potassium
- carbonate (189mg, 1.4mmol) were dissolved in 14ml dry DMF and stirred under nitrogen atmosphere at room temperature overnight. The solvent was evaporated under reduced pressure and the residue was dissolved in toluene. The organic phase was washed (water, brine), dried (MgSO₄) and evaporated. Futher purification by preparative HPLC using a

gradient of CH₃CN/5% CH₃CN-waterphase containing 0.1M NH₄OAc gave 477mg of the desired product (yield 75%).

¹HNMR (400MHz, CDCl₃): 2.76-2.89 (m, 4H), 2.95 (dd, 1H), 3.09 (m,5H), 3.20 (dd, 1H), 3.53 (m, 1H), 3.70 (s, 3H), 4.15 (t, 2H), 5.06 (s, 2H), 6.91 (m, 4H), 7.07-7.24 (m, 8H), 7.31-5 7.48 (m, 5H).

- (vi) Methyl 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxyl-phenoxy}ethyl)phenyl]propanoate
- To a solution of methyl 2-({2-[4-(benzyloxy)phenyl]ethyl}thio)-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoate (477mg, 0.8mmol) and 15ml
- dichlormethane, dimethyl sulfide (239mg, 3.8mol) and boron trifluoride etherate (545mg, 3.8mmol) were added. After 18 hours of stirring water was added to the reaction. The phases were separated and the aqueous phase was extracted twice with dichlormethane. The organic phases were pooled, dried (MgSO₄) and evaporated under reduced pressure.
 - 274mg of the desired product (yield 67%) was obtained as an oil.
- ¹⁵ HNMR (400MHz, CDCl₃): 2.70-2.85 (m, 4H), 2.91 (dd, 1H), 3.05 (t, 2H), 3.10 (s, 3H), 3.17 (dd, 1H), 3.49 (m, 1H), 3.68 (s, 3H), 4.13 (t, 2H), 6.72 (d, 2H), 6.87 (d, 2H), 6.99 (d, 2H), 7.10-7.22 (m, 6H)
 - (vii) 2-{[2-(4-Hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]-phenoxy}ethyl)phenyl]propanoic acid
- Methyl 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}-ethyl)phenyl]propanoate (105mg, 0.2mmol) was dissolved in 6.5ml of a 7:1 mixture of THF and water and cooled on an ice-bath. Lithium hydroxide (9.4mg, 0.4mmol) was added. Water was added to the reaction mixture after 24 hours of stirring at room temperature. The THF was evaporated under reduced pressure and the residue was acidified with 1M hydrochloric
- acid. The water phase was extracted with EtOAc (x3), the organic phases were pooled, washed (water, brine), dried (MgSO₄) and evaporated. The crude product was purified using preparative HPLC (eluent: CH₃CN / 5% CH₃CN-waterphase containing 0.1M NH₄OAc) to give 74mg of the desired product (yield 97%) as an oil.
 - ¹HNMR (400MHz, CDCl₃): 2.68-2.95 (m, 5H), 3.05 (t, 2H), 3.10 (s, 3H), 3.17 (dd, 1H), 3.47
- 30 (m, 1H), 4.12 (t, 2H), 6.70 (d, 2H), 6.86 (d, 2H), 6.97 (d, 2H), 7.12-7.21 (m, 6H).

 ¹³CNMR (100MHz, CDCl₃): 33.8, 35.1, 35.5, 37.2, 37.3, 48.1, 69.3, 115.6, 115.8, 123.3, 129.3, 129.4, 129.9, 132.3, 136.2, 136.9, 142.8, 154.4, 158.0, 177.2.

(viii) (-)-2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxylphenoxy}-ethyl)phenyl]propanoic acid

The racemate of 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)-oxy]phenoxy}ethyl)phenyl]propanoic acid was separated into its enantiomers using chiral

- s chromatography. A Chiralpak AD JDB01+ AS003 (336 x 100 mm i.d.) and ethanol/formic acid 100/0.01% was used as mobile phase. The racemate (9 g) was dissolved in ethanol and injected onto the column. The first eluting peak was collected and UV-detected. The product (4.1 g) was obtained with an enantiomeric purity >99%. The optical rotation was found to be [α]²⁰_D = -33° by dissolving the enantiomer in methanol to give a concentration of 0.64
- g/100ml. The optical rotation was measured at 20 °C using the sodium line at 589 nm. The (+) enantiomer is isolated subsequently from the column and is used as a starting material for the racemisation reaction.

¹H NMR (500 MHz, CD₃OD): 7.17-7.22 (6H, m), 6.99 (2H, d), 6.94 (2H, d), 6.69 (2H, d), 4.17 (2H, t), 3.46 (1H, t), 3.16 (3H, s), 3.13 (1H, dd), 3.05 (2H, t), 2.69-2.88 (5H, m).

Example 1

1,8 Diazabicyclo[5.4.0] undec-7-ene (DBU) (4.11g) was added by syringe over 5 minutes to a stirred mixture of (+)-2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4[(methylsulfonyl)oxy]phenoxy}ethyl)-phenyl]propanoic acid (3.83g), toluene (8.65g) and tetrahydrofuran (44g) followed by the addition of chlorotrimethylsilane (2.24g) by syringe over 5 minutes. The resultant slurry was stirred at room temperature until the reaction was complete (3 hours). 2N Hydrochloric acid (31.2g) was added to the reaction mixture to hydrolyse the TMS ester, followed by brine. After separation of the aqueous layer, further brine was added, and the pH was adjusted to pH 2.5-3.5 by the addition of 1M sodium bicarbonate solution. The aqueous layer was separated and the organic layer was distilled at atmospheric pressure to remove water. Ethanol was added and a vacuum distillation carried out to remove THF and give a solution of racemic 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]-phenoxy}ethyl)phenyl]-propanoic acid in ethanol

Claims:

- 1. A process for the preparation of substantially racemic 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)-
- 5 phenyl]propanoic acid which comprises reacting 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoic acid enriched in one enantiomer with a base in an inert solvent.
- 2. A process according to claim 1 wherein the acid is converted into an ester prior to racemisation or during the racemisation.
 - 3. A process according to claim 2 wherein the racemised ester is then hydrolysed to give the racemic acid.
- 4. A process according to claim 1 comprising reacting 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)phenyl]propanoic acid enriched in one enantiomer with a halosilane in the presence of a nitrogenous base in the presence of an inert solvent at a temperature in the range of 0 to 150°C.
- A process for the preparation of substantially racemic 2-{[2-(4-hydroxyphenyl)-ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]phenoxy}ethyl)-phenyl]propanoic acid which comprises reacting 2-{[2-(4-hydroxyphenyl)ethyl]thio}-3-[4-(2-{4-[(methylsulfonyl)oxy]-phenoxy}ethyl)phenyl]propanoic acid enriched in one enantiomer with chlorotrimethylsilane in the presence of 1,8 diazabicyclo[5.4.0] undec-7-ene in the presence of an inert solvent at a temperature in the range of 0 to 150°C.
 - 6. A process according to claim 4 comprising reacting a compound of formula I

enriched in one enantiomer with a chlorosilane of formula $ClSiR^1R^2R^3$ in which R^1 , R^2 , and R^3 independently represent a C_{1-6} alkyl group or aryl in the presence of a nitrogenous base in the presence of an inert solvent at a temperature in the range of 0 to 150°C to give a compound of formula Π

$$O-SiR^{1}R^{2}R^{3}$$

$$O-SiR^{1}R^{2}R^{3}$$

$$SO_{2}CH_{3}$$

in which R^1 , R^2 , and R^3 are previously defined which is hydrolysed to give a racemic compound of formula III

10 7. A compound of formula II

$$\begin{array}{c} O - SiR^1R^2R^3 \\ O - SiR^1R^2R^3 \\ SO_2CH_3 \end{array}$$

wherein R^1 , R^2 , and R^3 independently represent a C_{1-6} alkyl group or aryl.

8. A compound of formula IV

$$\begin{array}{c} O-Si(CH_{8})_{3} \\ O-Si(CH_{3})_{3} \\ O-Si(CH_{3})_{3} \end{array}$$

In nat Application No

		PC1/GB2	004/002599
A. CLASSII IPC 7	FICATION OF SUBJECT MATTER C07C323/56 A61K31/192		
According to	o International Palent Classification (IPC) or to both national cla	esification and IPC	
	SEARCHED		
Minimum do IPC 7	ocumentation searched (classification system followed by class ${\tt C07C-A61K}$	ification symbols)	
Documentat	tion searched other than minimum documentation to the extent	that such documents are included in the field	ds searched
Electronic d	ata base consulted during the international search (name of da	da base and, where practical, search terms u	used)
EPO-In	ternal, WPI Data, PAJ, BEILSTEIN	Data, CHEM ABS Data	
		⊕	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		*
Category *	Gitation of document, with indication, where appropriate, of t	he relevant passages	Helevant to claim No.
P,X	WO 03/051826 A (ASTRAZENECA UK ANNA MARIA PERSDOTTER (SE); HO (SE) 26 June 2003 (2003-06-26) cited in the application *the whole document; in partic example 2 and the claims*	OLM PATRIK)	1-8
A .	WO 99/62872 A (ANDERSSON KJELL (SE)) 9 December 1999 (1999-12 *page 4, claims 1 and 5-11*		1-8
A	WO 99/62871 A (BOIJE MARIA; I (SE); ANDERSSON KJELL (SE); AS (SE);) 9 December 1999 (1999-1 *examples 1, 43 and 44*	STRA AB	1-8
		-/	
X Furt	ther documents are listed in the continuation of box C.	X Patent family members are its	sted in annex.
"A" docume consk "E" earlier filing of "L" docume which citatio "O" docume other "P" docume	elegories of cited documents: ent defining the general state of the art which is not dered to be of particular relevance document but published on or after the international date ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another on or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but than the priority date claimed	"T" later document published after the or priority date and not in conflict cited to understand the principle divention "X" document of particular relevance; cannot be considered novel or ca involve an inventive step when the "Y" document of particular relevance; cannot be considered to involve a document is combined with one or ments, such combination being o in the art. "&" document member of the same pa	with the application but or theory underlying the the claimed invention amout be considered to be document its taken alone the claimed invention an inventive step when the or more other such docu- bylous to a person skilled atent family
Date of the	actual completion of the international search	Date of mailing of the international	il search report
2	23 August 2004	15/11/2004	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni,	Authorized officer	M 3
	Fax: (+31-70) 340-3016	Lorenzo Varela,	, М.Ј.

5

In mail Application No FC 1/GB2004/002599

	tion) DOCUMENTS CONSIDERED TO BE RELEVANT			
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
	WO 95/21162 A (MERCK & CO INC) 10 August 1995 (1995-08-10) the whole document	1-8		
	DATABASE WPI Section Ch, Week 198641 Derwent Publications Ltd., London, GB; Class B05, AN 1986-233725 XP002293308 & JP 61 197530 A (MITSUBISHI GAS CHEM COINC) 1 September 1986 (1986-09-01) abstract	1-8		
	·			

5

In cnal Application No Full GB2004/002599

	tent document in search report		Publication date		Patent family member(s)	Publication date
WO	03051826	Α	26-06-2003	WO	03051826 A1	26-06-2003
WO.	9962872	Α	09-12-1999	AT	246674 T	15-08-2003
) J C L O . L	••	05 IL 1555	AT	251130 T	15-10-2003
				ΑÚ	752261 B2	12-09-2002
				AU		20-12-1999
					4667199 A	
				AU	752262 B2	12-09-2002
				AU	4667299 A	20-12-1999
				BR	9910921 A	06-03-2001
		•		BR	9910928 A	13-02-2001
				CA	2333938 A1	09-12-1999
			•	CA	2334374 A1	09-12-1999
				CN	1311772 T	05-09-2001
				CN	1312795 T	12-09-2001
				DE	69910203 D1	11-09-2003
				DE	69910203 T2	17-06-2004
				DE	69911770 D1	06-11-2003
	• •		• •	DE	69911770 T2	19-08-2004
				DK	1084103 T3	17-11-2003
				DK	1084102 T3	02-02-2004
	•			EE	200000720 A	15-04-2002
				EE	200000725 A	17-06-2002
				EP	1084103 A1	21-03-2001
			•	EP	1084102 A1	21-03-2001
				ES	2205844 T3	01-05-2004
	1			ES	2209457 T3	16-06-2004
				HK	1035711 A1	02-01-2004
				HR	20000782 A1	30-06-2001
				HÙ	0103226 A2	28-01-2002
				HU	0103220 A2	29-05-2002
	•			ID	28833 A	05-07-2001
				ID	29457 A	30-08-2001
				JP	2002516899 T	11-06-2002
				JP	2002516900 T	11-06-2002
				JP	2004043480 A	12-02-2004
				NO	20006115 A	07-02-2001
				NO	20006116 A	02-02-2001
				NZ	508452 A	30-05-2003
			•	NZ	508453 A	30-06-2003
				PL	344681 A1	19-11-2001
				PL	345205 A1	03-12-2001
				PT	1084103 T	31-12-2003
	•		•	PT	1084103 T	27-02-2004
				RU	2214999 C2	27-10-2003
				WO	9962872 A1	09-12-1999
				WO	9962871 A1	09-12-1999
				SI	1084103 T1	31-12-2003
				SI	1084102 T1	29-02-2004
				SK 	17682000 A3	06-08-2001
WO	9962871	Α	09-12-1999	AT	261429 T	15-03-2004
	•			AT	251130 T	15-10-2003
				AU	4667099 A	20-12-1999
				ΑU	752262 B2	12-09-2002
				AU	4667299 A	20-12-1999
				BR	9910913 A	06-03-2001
				BR	9910921 A	06-03-2001

Ini nel Application No
PCT/GB2004/002599

	tent document in search repor	rt	Publication date		Patent family member(s)	Publication date
MU	9962871	A		CA	2334374 A1	09-12-1999
	3302072			CN	1312795 T	12-09-2001
				CN	1311769 T	05-09-2001
				DE	69911770 D1	06-11-2003
				DE	69911770 T2	19-08-2004
				DE	69915470 D1	15-04-2004
				DK	1084101 T3	14-06-2004
				DK	1084102 T3	02-02-2004
				EE	200000717 A	15-08-2001
				EE	200000725 A	17-06-2002
				EP	1084101 A1	21-03-2001
				ĒΡ	1084102 A1	21-03-2001
				ĒS	2209457 T3	16-06-2004
				HU	0103226 A2	
			·			28-01-2002
				ID	. 28164 A	10-05-2001
				ID	29457 A	30-08-2001
		_		JP	2002516898 T	11-06-2002
•			•	JP	2002516899 T	11-06-2002
				NO	20006114 A	02-02-2001
				NO	20006116 A	02-02-2001
•				NZ	508453 A	30-06-2003
		**,	• • • • • • • • • • • • • • • • • • • •	PL	344681 A1	19-11-2001
		÷		PL	344682 A1	19-11-2001
				PT	10841 02 T	27-02-2004
				WO	9962870 A1	09-12-1999
	•			WO	9962871 A1	09-12-1999
				SI	1084102 T1	29-02-2004
				ŠK	17672000 A3	06-08-2001
				SK	17692000 A3	10-05-2001
				TR	200003543 T2	20-04-2001
•				TR	200003583 T2	21-05-2001
				TW	446694 B	21-07-2001
				TW	548263 B	21-08-2003
				US	6630600 B1	07-10-2003
				US	6362360 B1	26-03-2002
				ZA	200006771 A	20-05-2002
	•			ZA	200006773 A	20-02-2002
				AT	246674 T	15-08-2003
WO	9521162	Α	10-08-1995	ΑT	206407 T	15-10-2001
				AU	691878 B2	28-05-1998
				AU	1696795 A	21-08-1995
	•					21-08-1995 23-09-1997
				BR	9506727 A	23-09-1997
	,			BR CA	9506727 A 2180947 A1	23-09-1997 10-08-1995
				BR CA CZ	9506727 A 2180947 A1 9602272 A3	23-09-1997 10-08-1995 15-01-1997
	,			BR CA CZ DE	9506727 A 2180947 A1 9602272 A3 69523038 D1	23-09-1997 10-08-1995 15-01-1997 08-11-2001
	,			BR CA CZ DE DE	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002
·			. 11	BR CA CZ DE DE EP	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996
·				BR CA CZ DE DE EP ES	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001
·	,			BR CA CZ DE DE EP ES FI	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996
	,			BR CA CZ DE DE EP ES	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A 76303 A2	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001
				BR CZ DE DE EP ES FI HU	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996 28-07-1997
				BR CA CZ DE DE EP ES FI HU JP	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A 76303 A2 9508628 T	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996 28-07-1997
				BR CA CZ DE DE EP ES FI JP NZ	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A 76303 A2 9508628 T 279734 A	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996 28-07-1997 02-09-1997 27-05-1998
				BR CA CZ DE DE EP ES HU JP NZ RO	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A 76303 A2 9508628 T 279734 A 118292 B1	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996 28-07-1997 02-09-1997 27-05-1998 30-04-2003
			. 11	BR CA CZ DE DE EP ES FI HU JP NZ RO RU	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A 76303 A2 9508628 T 279734 A 118292 B1 2135482 C1	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996 28-07-1997 02-09-1997 27-05-1998 30-04-2003 27-08-1999
				BR CZ DE DE EP ES FI HU JP NZ RO RU SK	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A 76303 A2 9508628 T 279734 A 118292 B1 2135482 C1 100696 A3	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996 28-07-1997 02-09-1997 27-05-1998 30-04-2003 27-08-1999 05-03-1997
				BR CA CZ DE DE EP ES FI HU JP NZ RO RU	9506727 A 2180947 A1 9602272 A3 69523038 D1 69523038 T2 0741712 A1 2161863 T3 963054 A 76303 A2 9508628 T 279734 A 118292 B1 2135482 C1	23-09-1997 10-08-1995 15-01-1997 08-11-2001 06-06-2002 13-11-1996 16-12-2001 01-08-1996 28-07-1997 02-09-1997 27-05-1998 30-04-2003 27-08-1999

onal Application No PC1/GB2004/002599

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9521162	Α		US	5663341 A	02-09-1997
JP 61197530	A	01-09-1986	DE EP US	3683512 D1 0193113 A1 4918196 A	05-03-1992 03-09-1986 17-04-1990